


TOP OF SANITARY SEWER MANHOLE COVER  
(SEE NOTE 2 FOR STORM SEWER COVER)

NOTES:

1. COVER AND FRAME TO BE CAST OF GRAY IRON IN COMPLIANCE WITH ASTM SPEC. ASTM A-48 CLASS 35 AND AASHTO M 306. CASTINGS SHALL BE OF THE HEAVY DUTY RATING.
2. SANITARY MANHOLE COVER/FRAME  
-EAST JORDAN 1850 B VENTED COVER (PRODUCT NO. 185026) AND 1850 FRAME.  
-NEENAH R-1654 FRAME AND VENTED COVER.  
-OR EQUAL APPROVED BY CITY ENGINEER.
- STORM MANHOLE COVER/FRAME  
-EAST JORDAN 1850 M GRATED COVER AND 1850 FRAME.  
-NEENAH R-1654 FRAME AND GRATED COVER.  
-**USE THE VENTED COVER WITH CITY LOGO WITHIN CROSSWALKS.**
3. MACHINE BEARING SURFACES BETWEEN LID AND FRAME.
4. CONTACT CITY ENGINEER FOR CAD DRAWING OF CITY LOGO.
5. CASTINGS ARE NOT REQUIRED TO BE PAINTED.
6. **ALTERNATE FRAMES**, SUITABLE WITH EJ 1850 COVER, FOR USE AS DIRECTED BY THE CITY ENGINEER:  
EAST JORDAN 2015 (10'-1/2" FRAME HEIGHT)  
EAST JORDAN 1622 (5" FRAME HEIGHT, OR FLAT IF FRAME IS INVERTED)



OFFICE OF THE CITY ENGINEER

CANTON, OHIO

DANIEL J. MOEGLIN, P.E., CITY ENGINEER

2436 30th St. NE 44705 330-489-3381 www.cantonohio.gov/engineering

APPROVED DATE: JAN 2012
APPROVED BY: CDB, RMB, SLH
DRAWING FILE NAME: ce_12.dwg

REVISIONS		
DESCRIPTION	DATE	BY
MH COVER CITYLOGO	2/28/2014	RMB
NOTE 2 REVISED, ADD GRATED COVER	1/17/2015	RMB
REMOVED OLD CITY LOGO COVER	12/8/2015	RMB

STANDARD DRAWING NO. 12

MANHOLE COVER

